

ADA RAMP AND SIDEWALK REPAIR: 2024

STREET NUMBER	STREET NAME OR INTERSECTION	RAMP TYPE	EXIST. SIDEWALK WIDTH	SIDEWALK REPAIR LENGTH	TYPE OF REPAIR/COMMENTS
2144	Millennium Way	B	4'	30-FT	R&R RAMP, REQUIRED CURB & GUTTER, REPLACE WITH TYPE D (SKEWED), INSTALL DETECTABLE WARNING DEVICE.
2144	Millennium Way	D(S)	4'	8-FT	R&R RAMP, REPLACE WITH TYPE D (SKEWED), INSTALL DETECTABLE WARNING DEVICE. REPLACE SIDEWALK IN ISLAND BETWEEN 2144 & 2145 TO REMOVE TRIP HAZARD.
2145	Millennium Way	D(S)	4'	16-FT	R&R RAMP, REQUIRED CURB & GUTTER, REPLACE WITH TYPE D (SKEWED), INSTALL DETECTABLE WARNING DEVICE. REPLACE SIDEWALK IN ISLAND BETWEEN 2144 & 2145 TO REMOVE TRIP HAZARD.
2145	Millennium Way	D(S)	4'	24-FT	R&R RAMP, REQUIRED CURB & GUTTER, REPLACE WITH TYPE D (SKEWED), INSTALL DETECTABLE WARNING DEVICE.
1880	Curtis Dr	C	4'		2 - DETECTABLE WARNING DEVICE'S (1 EACH, S & N CORNERS)
1900	Curtis Dr @ Key's Lake Dr.	D	4'	11-FT	INSTAL DETECTABLE WARNING DEVICE (SW CORNER)
1975	STERLING OAKS CR @ Curtis Dr	D	5'		INSTALL DETECTABLE WARNING DEVICE ON NORTH RAMP ACCESSES
1966	STERLING OAKS CR @ Curtis Dr	D	5'		INSTALL DETECTABLE WARNING DEVICE ON SOUTH RAMP ACCESSES
1349	N Cliff Valley Way	N/A	4'	20-FT	R&R 20 LF OF CONTIGUOUS SIDEWALK TO THE WEST; INSTALL TYP D (SKEWED) RAMP, WEST DRIVEWAY, INSTALL DETECTABLE WARNING DEVICE, AND CONNECTIVE CURBWORK.
1349	N Cliff Valley Way	N/A	4'	20-FT	R&R 20 LF OF CONTIGUOUS SIDEWALK TO THE EAST; INSTALL TYP D (SKEWED) RAMP, EAST DRIVEWAY, INSTALL DETECTABLE WARNING DEVICE, AND CONNECTIVE CURBWORK.
1391	N Cliff Valley Way	N/A	4'	20-FT	R&R 20 LF OF CONTIGUOUS SIDEWALK TO THE WEST; INSTALL TYP D (SKEWED) RAMP, WEST DRIVEWAY, INSTALL DETECTABLE WARNING DEVICE, AND CONNECTIVE CURBWORK.
1657	N Druid Hills Rd	B	6'	15-FT	REMOVE EXISTING RAMP & 15 LF OF CONTIGUOUS SIDEWALK; REPLACE W/TY B RAMP & CONTIGUOUS SIDEWALK, INSTALL DETECTABLE WARNING DEVICE.
2307	Briarwood Way @ Briarwood Rd (E CORNER)	D	5'	20-FT	R&R RED DETECTABLE WARNING DEVICE WITH TWO (2) YELLOW DETECTABLE WARNING DEVICE'S, R&R 12 LF OF CONTIGUOUS SIDEWALK EAST OF RAMP TO REMOVE TRIP HAZARD; R&R 8 LF OF CONTIGUOUS SIDEWALK NORTH OF RAMP; REMOVE & REPLACE BROKEN GRANITE CURB WITH CONCRETE CURB.
2335	Briarwood Park Rd @ Briarwood Rd (N CORNER)	D	5'		R&R EXISTING SIDEWALK AND CURBING AND INSTALL TYP B RAMP, COMBINING BOTH N & E SIDEWALK APPROACHES, INSTALL DETECTABLE WARNING DEVICE(S).
2335	Briarwood Park Rd @ Briarwood Rd (S CORNER)	D	5'		INSTALL FOUR (4) YELLOW DETECTABLE WARNING DEVICE'S
1528	BRIARWOOD RD	N/A	5'	22-FT	APPROX. 35 FT NORTH OF DRIVEWAY APRON, R&R THREE MARKED SIDEWALK SLABS (22-FT).
1528	BRIARWOOD RD	N/A	5'	10-FT	IMMEDIATELY NORTH OF DRIVEWAY, R&R APPROX. 10 FT OF MARKED SIDEWALK SLABS

ADA RAMP AND SIDEWALK REPAIR: 2024

STREET NUMBER	STREET NAME OR INTERSECTION	RAMP TYPE	EXIST. SIDEWALK WIDTH	SIDEWALK REPAIR LENGTH	TYPE OF REPAIR/COMMENTS
1544	BRIARWOOD RD	N/A	5'	22-FT	IMMEDIATELY NORTH OF DRIVEWAY, R&R APPROX. 22-FT OF MARKED SIDEWALK SLABS.
1544	BRIARWOOD RD	N/A	5'	25-FT	R&R MARKED SIDEWALK SLABS FROM SOUTH PROPERTY LINE TO 25-FT NORTH.
1538	BRIARWOOD RD	N/A	5'	5-FT	IMMEDIATELY NORTH OF DRIVEWAY, R&R MARKED SIDEWALK SLAB.
3446	BRIARWOOD RD (ACROSS FROM KEYS CROSSING)	N/A	5'	5-FT	IMMEDIATELY SOUTH OF DRIVEWAY ENTRANCE TO HILLCREST APTS, R&R SIDEWALK SLAB.
3446	BRIARWOOD RD (HILLCREST APTS., BUILDING 'A')	N/A	5'	8-FT	NEAR THE FIRE HYDRANT, R&R APPROX. 8 FT OF SIDEWALK TO REMOVE TRIP HAZARD.
3446	BRIARWOOD RD (HILLCREST APTS., BUILDING 'A')	N/A	5'	8-FT	R&R MARKED SIDEWALK SLAB TO ELIMINATE TRIP HAZARD (TREE ROOT UNDER SLAB)
1569	BRIARWOOD RD (EAST SIDE OF ROADWAY)	N/A	5'	25-FT	R&R MARKED SIDEWALK SLABS ON EAST SIDE OF ROADWAY
1587	BRIARWOOD RD (EAST SIDE OF ROADWAY)	N/A	5'	8-FT	R&R MARKED SIDEWALK SLABS ON EAST SIDE OF ROADWAY
1595	BRIARWOOD RD (EAST SIDE OF ROADWAY)	N/A	5'	5-FT	R&R MARKED SIDEWALK SLABS ON EAST SIDE OF ROADWAY
3446	BRIARWOOD RD (HILLCREST APTS., BUILDING 'K')	N/A	5'	40-FT	R&R MARKED SIDEWALK SLABS APPROX 40 FT NORTH OF FIRE HYDRANT AT MARTA BUS SHELTER.
3446	BRIARWOOD RD (HILLCREST APTS., BUILDING 'K')	N/A	5'	24-FT	R&R MARKED SIDEWALK SLABS AT MARTA BUS SHELTER.
3446	BRIARWOOD RD (HILLCREST APTS., BUILDING 'K')	D	5'	25-FT	R&R RAMP AND INSTALL TYP D (SKEWED/WITH DETECTABLE WARNING DEVICE's), 25' FEET OF CONTIGUOUS SIDEWALK DIRECTLY TO THE NORTH OF CORNER, R&R ANY REQUIRED CURBING
2189	DREW VALLEY RD @ POPLAR SPRINGS DR	D	4'		REMOVE AND REPLACE EXISTING RAMP ON NE CORNER WITH A TY D (SKEWED) RAMP, INSTALL DETECTABLE WARNING DEVICE.
2712	DREW VALLEY RD	N/A	4'	67-FT	FROM EAST SIDE OF DRIVEWAY, REMOVE AND REPLACE WITH 4-FT SIDEWALK TO EXISTING RAMP @ CORNER OF SKYLAND TRAIL & DVR.
2712	DREW VALLEY RD	N/A	5'	54-FT	R&R SIDEWALK FROM EAST SIDE OF DRIVEWAY TO 2706 DREW VALLEY ROAD TO WEST SIDE OF DRIVEWAY OF 2712 DVR; MATCH NEW SIDEWALK TO EXISTING DRIVEWAY ELEVATION.
2706	DREW VALLEY RD	N/A	5	45-FT	FROM EXISTING 5' SIDEWALK ON EAST SIDE OF DRIVEWAY TO 2702 DVR, REMOVE 45-FT OF EXISTING 4' SIDEWALK & REPLACE WITH NEW 5-FT SIDEWALK. <i>TRY TO INCREASE NEW SIDEWALK ELEVATION TO MATCH THAT OF THE EXISTING SIDEWALK AT 2702 DVR AND DECREASE ELEVATION MOVING EAST TO MEET DRIVEWAY ELEVATION OF 2706 DVR.</i>
2307	BRIARWOOD WAY (BRIARWOOD PARK)	A	5'		REPLACE RED DETECTABLE WARNING DEVICE WITH YELLOW DETECTABLE WARNING DEVICE, APPROX 50' EAST OF SE CORNER OF BRIARWOOD WAY/BRIARWOOD RD (NEAR HANDICAPPED PARKING STALL)

ADA RAMP AND SIDEWALK REPAIR: 2024

STREET NUMBER	STREET NAME OR INTERSECTION	RAMP TYPE	EXIST. SIDEWALK WIDTH	SIDEWALK REPAIR LENGTH	TYPE OF REPAIR/COMMENTS
2335	BRIARWOOD WAY	D(S)	5'		AT SE CORNER OF BRIARWOOD WAY/BRIARWOOD PARK RD, REPLACE RED DETECTABLE WARNING DEVICE WITH YELLOW DETECTABLE WARNING DEVICE.
2335	BRIARWOOD WAY @ BRIARWOOD PARK RD	N/A	5'	16-FT	AT THE INTERSECTION OF BRIARWOOD WAY @ BRIARWOOD PARK RD, 80' SOUTH OF SW CORNER AT CATCH BASIN, REMOVE SIDEWALK SURROUNDING CATCH BASIN AND REPLACE, LEVEL WITH THE CATCH BASIN. <i>MAY BE DELETED DUE TO BRIARWOOD PARK CONSTRUCTION PROJECT. CURRENTLY LOCATED INSIDE OF CONSTRUCTION ZONE.</i>
2235	BRIARWOOD PARK RD	N/A	5'	16-FT	WHERE DIVIDED ROADWAY ENDS NORTHBOUND, APPROX. 20' SOUTH CROSSWALK ON WEST SIDE OF ROAD, R&R 16-FT OF BUCKLED SIDEWALK AND ROOTS FROM NEARBY TREE TO REMOVE TRIP HAZARD.
2235	BRIARWOOD PARK RD	N/A	5'	8-FT	FROM NW CORNER OF INTERSECTION AT BRIARWOOD PARK RD & BRIARWOOD ROAD, APPROX 100' EAST ON ESTABLISHED SIDEWALK, R&R APPROX 8-FT OF BUCKLED SIDEWALK AND ROOTS FROM NEARBY TREE TO REMOVE TRIP HAZARD.
3020	CLAIRMONT RD (FACNG CLAIRMONT WAY)	N/A	4'	160-FT	R&R 4' SIDEWALK ON NORTH SIDE OF ROADWAY FROM THE INTERSECITON OF CALIRMONT WAY/CLAIRMONT RD FROM THE RAMP TO THE EAST PROPERTY LINE OF 1776 CLAIRMONT WAY.
1776	CLAIRMONT WAY	N/A	3'	65-FT	SAWCUT EXISTING CONCRETE SIDEWALK FRONTING 1776 CLAIRMONT WAY. FROM THAT LINE, REMOVE 65-FT OF 3-FT SIDEWALK WEST TO EAST SIDE OF 1768 DRIVEWAY WITH 4-FT SIDEWALK.
1768	CLAIRMONT WAY	N/A	4'	25-FT	SAWCUT EXISTING CONCRETE IN LINE WITH THE WEST SIDE OF THE PROPERTY OWNER'S SIDEWALK TO THE HOUSE, REMOVE & REPLACE WITH 25-FT OF 4-FT SIDEWALK & TIE INTO EXISTING DRIVEWAY OF 1760 CLAIRMONT WAY.
1744	CLAIRMONT WAY	N/A	4'	15-FT	FROM WEST SIDE OF DRIVEWAY, SAWCUT SIDEWALK APPROX 15-FT TO THE WEST, R&R EXISTING SIDEWALK FROM SAWCUT TO DRIVEWAY WITH NEW 4' SIDEWALK, REMOVING TRIP HAZARD AT DRIVEWAY AND TYING BACK INTO EXISTING SIDEWALK.
1734	CLAIRMONT WAY	N/A	4'	44-FT	SAWCUT SIDEWALK ON WEST SIDE OF DRIVEWAY TO 44-FT WEST OF DRIVEWAY, R&R WITH NEW 4' SIDEWALK.
1724	CLAIRMONT WAY	N/A	4'	12-FT	REMOVE AND REPLACE 12-FT OF MARKED SIDEWALK NEAR WATER METER.
1700	CLAIRMONT WAY	N/A	4'	100-FT	SAWCUT SIDEWALK NEAR E PROPERTY LINE, NEAR FIBEROPTIC MARKERS; R&R APPROX 100-FT OF 4' SIDEWALK FROM SAWCUT, WEST, TO EAST SIDE OF DRIVEWAY AT 1700 CLAIMONT WAY.
1700	CLAIRMONT WAY	N/A	4'	55-FT	SAWCUT SIDEWALK APPROXIMATELY 45 FT WEST OF EAST DRIVEWAY; FROM SAWCUT, R&R 4' SIDEWALK FROM SAWCUT TO EAST SIDE OF WEST DRIVEWAY.
1700	CLAIRMONT WAY	N/A	4'	16-FT	FROM WEST SIDE OF WEST DRIVEWAY, SAWCUT AT WEST SIDE OF FIRST 4' SIDEWALK SLAB; R&R SIDEWALK APPROXIMATELY 16-FT WEST OF SAWCUT.
1678	CLAIRMONT WAY	N/A	4'	4-FT	R&R SIDEWALK SLAB IMMEDIATELY TO THE NORTH OF DRIVEWAY.
1678	CLAIRMONT WAY	N/A	4'	8-FT	APPROXIMATELY 30' NORTH OF DRIVEWAY, SAWCUT SIDEWALK; R&R MARKED SIDEWALK TO 8-FT NORTH OF SAWCUT.

ADA RAMP AND SIDEWALK REPAIR: 2024

STREET NUMBER	STREET NAME OR INTERSECTION	RAMP TYPE	EXIST. SIDEWALK WIDTH	SIDEWALK REPAIR LENGTH	TYPE OF REPAIR/COMMENTS
1670	CLAIRMONT WAY	N/A	4'	12-FT	APPROX 40 FT SOUTH OF DRIVEWAY, SAWCUT JOINT AND R&R 12-FT OF SIDEWALK, NORTH TO JOIN SOUTH SIDE OF DRIVEWAY
1670	CLAIRMONT WAY	N/A	4'	4-FT	REMOVE & REPLACE SIDEWALK SLAB DIRECTLY IN FRONT OF WATER METER.
1670	CLAIRMONT WAY	N/A	4'	4-FT	REMOVE MARKED SIDEWALK SLAB 20' NORTH OF WATER METER.
1662	CLAIRMONT WAY	N/A	4'	16-FT	SAWCUT SIDEWALK APPROXIMATELY 8' SOUTH OF DRIVEWAY, REMOVE & REPLACE 4' SIDEWALK FROM SAWCUT SOUTH, 16-FT TO TIE INTO RECENTLY REPLACED SIDEWALK.
1654	CLAIRMONT WAY	N/A	4'	10-FT	SAWCUT SIDEWALK APPROX 25' FROM SOUTH SIDE OF DRIVEWAY. FROM CUT, R&R SIDEWALK SOUTH 10', PAST UNEVEN SLAB SURROUNDING WATER METER TO REMOVE TRIP HAZARD.
1646	CLAIRMONT WAY	N/A	4'	60-FT	SAWCUT SIDEWALK 16' FROM NORTH SIDE OF DRIVEWAY AT 1654; R&R SIDEWALK FROM CUT NORTH TO EXISTING RAMP ON CORNER OF CLAIRMONT WAY/CLAIRMONT PL.
1646	CLAIRMONT PLACE	B	4'		INSTALL YELLOW DETECTABLE WARNING DEVICE ON EXISTING RAMP
1711	CLAIRMONT WAY @ SOMER VALE COURT	NONE	<4'	20-FT	ON SE CORNER OF INTERSECTION REMOVE EXISTING SIDEWALK TO WEST SIDE OF DRIVEWAY AND REQUIRED CURB; INSTALL TYP D(S) RAMP AND CONTINUE NEW 4' SIDEWALK TO WEST SIDE OF DRIVEWAY.
1721	CLAIRMONT WAY	N/A	4'	44-FT	R&R EXISTING 4' SIDEWALK FROM WEST SIDE OF DRIVEWAY, 44-FT WEST TO REMOVE TRIP HAZARD.
1721	CLAIRMONT WAY	N/A	4'	25-FT	SAWCUT EXISTING 4' SIDEWALK 2' WEST OF WATER METER & 2' EAST OF SANITARY SEWER CLEANOUT; R&R THE 25-FT OF SIDEWALK BETWEEN.
1727	CLAIRMONT WAY	N/A	4'	8-FT	FROM WEST SIDE OF DRIVEWAY, SAWCUT SIDEWALK APPROX 8-FT TO THE WEST; R&R 4' SIDEWALK FROM CUT TO WEST SIDE OF DRIVEWAY.
1727	CLAIRMONT WAY	N/A	4'	20-FT	SAWCUT EXISTING 4' SIDEWALK 2' EAST OF WATER METER; R&R SIDEWALK APPROX 20-FT TO EAST SIDE OF DRIVEWAY.
1735	CLAIRMONT WAY	N/A	4'	25-FT	FROM WEST PROPERTY LINE, R&R 4' SIDEWALK APPROXIMATELY 25-FT EAST TO EXISTING SIDEWALK JOINT.
2754	DREW VALLEY RD	N/A	4'	10-FT	R&R 10' OF MARKED SIDEWALK ON WEST SIDE OF DRIVEWAY.
2754	DREW VALLEY RD	N/A	4'	12-FT	NEAR WATER METER AND SANITARY SEWER CLEANOUT, R&R 12' OF MARKED SIDEWALK.
2750	DREW VALLEY RD	N/A	4'	8-FT	SAWCUT SIDEWALK AT WEST PROPERTY LINE; R&R 8' OF MARKED SIDEWALK.
2750	DREW VALLEY RD	N/A	4'	10-FT	SAWCUT SIDEWALK APPROX 10' EAST SIDE OF DRIVEWAY; FROM SAWCUT, CONTINUING EAST, R&R 10' OF MARKED SIDEWALK.